




INSPIRED TEXTILES


OFGO STUDIO

VOLUME II

Angora



Rust



Cypress



Beige



Coffee



Indigo




Olive



Mauve

Foundation



Linen



Steel



Wind Chime



Licorice



Air



Mud



Fawn

Felicity



Mushroom




Olive



Coal



Fawn



Blueberry




Sky




Onyx

Monroe



Pewter



Indigo



Caribbean



Sage



Steel



Quartz




Burlap


Franklin



Avocado



Sage



Metal



Camel



Petrol




Midnight



Brass

Bondi



Nickel

Arlo



Silver

Heavenly



Naval

Yates



Ash

Comrade



Midnight



Stucco



Limestone



Charcoal



Seal



Cinder



Mocha



Silver




Zinc



Mercury



Iron



Russet



Caper



Flax



Pearl



Bay




Ash



Sepia




Pecan



Alpine



Birch



Charcoal



Onyx



Midnight



Alpine



Olive



Chrome



Pool



Lichen



Shadow



Linen

Challenger



Charcoal



Amber



Tan



Chestnut



Tobacco




Taupe



Seagull

Challenger



Smokey Blue



Chinchilla



Midnight Blue




Spring



Slate



Denim Blue



Meadow


Challenger



Steel



Dove



Fog



Raven



Mocha



Garnet



Wine

Linum




Flax



Denim




Russet



Pewter



Ash




Gunmetal



Sterling


Ascent



Russet



Black



Gauntlet



Sterling



Taupe



Sage



Flax

TECHNICAL INFORMATION

Width Pattern	Content & Backing	Abrasion (D.R.)	Lightfastness	Flammability	Cleaning Code
56" ANGORA    	100% Polyester Acrylic Kiss Coat Backing Stain & Soil Resistant Finish	100,000	AATCC 16.3 Grade 4 (40 hours)	CALTB117-2013, NFPA 260 Class 1, UFAC Class 1	W
57" FOUNDATION   	100% Polyester Polyester Backing	100,000	AATCC 16 Grade 3.5	CALTB117-2013, MVSS302, NFPA 260 Class 1, UFAC Class 1	SW
55" FELICITY    	100% Polyester Acrylic Kiss Coat Backing Stain & Soil Resistant Finish	160,000	AATCC 16 Grade 4 (40 Hours)	CALTB117-2013, NFPA 260 Class 1, UFAC Class 1	W
56" MONROE   	100% Polyester Acrylic Kiss Coat Backing	165,000	AATCC 16.3 Grade 3 (40 hours)	CALTB117-2013, NFPA 260 Class 1, UFAC Class 1	W
56" FRANKLIN    	100% Polyester Polyester Backing	235,000	AATCC 16.3 Grade 4.5 (40 hours)	CALTB117-2013, NFPA 260 Class 1, UFAC Class 1, FMVSS 302	WS
56" BONDI    	100% Polyester Polyester Backing	60,000	AATCC 16 Grade 4	CALTB117-2013, NFPA 260 Class 1, MVSS302	W
56" ARLO    	100% Polyester Polyester Backing Stain & Soil Resistant Finish	105,000	AATCC 16 Grade 4 (40 hours)	CALTB117-2013, NFPA 260 Class 1, UFAC Class 1	WS
54" YATES    	100% Polyester Acrylic Kiss Coat Backing	350,000	AATCC 16 Grade 5	CALTB117-2013, NFPA 260 Class 1,	W
55" HEAVENLY    	100% Polyester Acrylic Kiss Coat Backing	140,000	AATCC 16 Grade 3.5	CALTB117-2013, NFPA 260 Class 1, UFAC Class 1	SW
55" COMRADE    	100% Polyester Acrylic Kiss Coat Backing Stain & Soil Resistant Finish	90,000	AATCC 16 Grade 4.5 (40 hours)	CALTB117-2013, NFPA 260 Class 1, UFAC Class 1	W
54" CHALLENGER     (seating fabric only)	100% Vinyl Polyester Backing Stain & Soil Resistant Finish Anti-Bacterial & Anti-Mildew	1,500,000	AATCC 16 Grade 4 (1,500 Hours)	CALTB117-2013, IMO FTP Code 2010 - Part 8, MVSS302, NFPA 260 Class 1, UFAC Class 1	W Bleach Cleanable
54" LINUM     (seating fabric only)	100% Vinyl Polyester Backing Stain & Soil Resistant Finish Anti-Bacterial & Anti-Mildew	1,500,000	AATCC 16.3 Grade 4 (1,500 Hours)	CALTB117-2013, IMO FTP Code 2010 - Part 8, MVSS302, NFPA 260 Class 1, UFAC Class 1	W Bleach Cleanable
54" ASCENT     (seating fabric only)	100% Vinyl Polyester Backing Stain & Soil Resistant Finish Anti-Bacterial & Anti-Mildew	1,500,000	AATCC 16.3 Grade 4 (1,500 Hours)	CALTB117-2013, IMO FTP Code 2010 - Part 8, MVSS302, NFPA 260 Class 1, UFAC Class 1	W Bleach Cleanable

Note: items marked as seating fabric only are not suggested for use on tackboards or PANELX dividers.

Note: proper dilution instructions must be followed for items marked as bleach cleanable.

ACT Registered Certification Marks

OFGO STUDIO

www.ofgo.com